Inserting and removing the nano SIM card

Verizon Jetpack MiFi 8800L on Other 2.100.6

Learn how to insert and remove a SIM card from your device. Your cellular service is activated through your SIM card; without it you cannot use cellular features. Note that a SIM card tray removal tool may be needed.



Note: Don't touch the gold contacts on your SIM card. That could damage the card. If you're using a new SIM card, you can activate it by calling (877) 807-4646 from any phone. For more information, refer to our <u>4G LTE SIM Card FAQs</u>.



Remove the Jetpack's back cover by placing a fingernail in the notch on the top or bottom of the Jetpack and lifting the back.

Step 1/7



Remove the battery by placing a fingernail in the release notch on the side of the battery compartment and lifting it toward you.

Step 2/7



Remove the nano SIM card cover by pressing down the release tab and sliding the nano SIM card out of the Jetpack.

Step 3/7



Insert or remove a nano SIM card by pressing down the tab and sliding the nano SIM card with the gold contacts facing the Jetpack.

Note: A nano SIM card may already be inserted in your phone.

Step 4/7



Align the gold contacts on the side of the battery to the gold contacts inside the battery compartment and set the battery in place.

Step 5/7



Put the back cover on by pressing down on along the edges until it snaps into place.

Step 6/7



You've completed the steps!

Step 7/7